Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	6	("3538230").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/11/17 11:14
Ś2	158	"0003676"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/17 13:28
S3	722668	oral care and toothpaste and mouthwash and cationic monomer and anionic monomer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/17.13:31
S4	1479420	oral care and toothpaste and mouthwash and ar-vinylbenzyl trimethylammonium chloride monomer and anionic monomer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/17 13:32
S5	26558	(oral care and toothpaste and mouthwash) and (ar-vinylbenzyl trimethylammonium chloride monomer) and (anionic monomer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/17 13:33
S6	1003	(oral care and toothpaste and mouthwash) and (ar-vinylbenzyl trimethylammonium chloride monomer) and (vinylacetate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/17 14:23
S7	10	(oral care toothpaste mouthwash) with (ar-vinylbenzyl trimethylammonium chloride monomer) with (vinylacetate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/17 13:59
S8	537	(oral care and toothpaste and mouthwash) with (cationic monomer) and (vinyl acetate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON .	2005/11/17 15:30
S10	85	(oral care and toothpaste and mouthwash) with (styrene) and (vinyl phosphonic acid)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/17 15:37
S11	35798	(oral care toothpaste mouthwash) with (styrene vinyl phosphonic acid)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/17 15:38

S12	143	(oral care toothpaste mouthwash) with (styrene) with (vinyl phosphonic acid)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/17 15:40
S13	12915	(oral care toothpaste mouthwash) with (cationic mono polymer) with (anionic mono polymer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/17 15:52
S14	2699240	oral care toothpaste mouthwash with cationic mono polymer with anionic mono polymer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/17 16:06
S15	27	"5096699"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/17 16:16
S16	. 11	"4327977"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON .	2005/11/17 16:17
S17	18	"4889713" 	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/17 16:19
S18	18	"5139769"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/17 16:20
S19	16	"5017362"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/17 16:22
S20	23	"4921693"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/17 16:41
S21	6	"2005003998"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/17 16:42

S22	2	"20050032998"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/17 16:59
S23	204	(vinyl phosphonic acid methacryloxyl ethyl trimetyl ammonium chloride) with (hydroxy ethyl acrylate)with (toothpase mouthwash)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/17 17:16
S24	1156	424/48	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/17 18:42
S25	497	424/48 and toothpaste	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/17 18:43
S26	0	424/48 and toothpaste with co-monomers	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/17 18:43
S27		(vinylphosphonic acid) with (methacryloxyl ethyl trimetyl ammonium chloride) with (2-hydroxyethylacrylate)with (toothpase mouthwash)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/18 11:32
S28	2	(vinylphosphonic acid) with (methacryloxyl ethyl trimetyl ammonium chloride) with (hydroxyethylacrylate)with (toothpase mouthwash)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/18 09:09
S29	17	(vinylphosphonic acid) and (methacryloxyl ethyl trimetyl ammonium chloride) and (hydroxyethylacrylate)and(toothpas te mouthwash)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR .	ON	2005/11/18 11:23
S30	412	(vinylphosphonic acid) and (methacryloxyl ethyl trimetyl ammonium chloride) and (hydroxyethylacrylate)and(toothpas te mouthwash chewing gum)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/18 11:27
S31	3	"6821507"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/18 11:27

S32	0	(vinylphosphonic acid) with (methacryloxyl ethyl trimetyl ammonium chloride) with (2-hydroxyethylacrylate)with (toothpase mouthwash)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	NEAR	ON	2005/11/18 11:32
S33	740	(oral care and toothpaste and mouthwash) with (cationic monomer) and (anionic monomer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/18 11:32

L4

(FILE 'HOME' ENTERED AT 10:37:49 ON 18 NOV 2005)

FILE 'HCAPLUS' ENTERED AT 10:38:00 ON 18 NOV 2005 L1 4 US2005063918/PN OR US2003-665710# /AP,PRN

FILE 'REGISTRY' ENTERED AT 10:39:46 ON 18 NOV 2005

FILE 'HCAPLUS' ENTERED AT 10:39:46 ON 18 NOV 2005 L2 TRA L1 1- RN : 41 TERMS

FILE 'REGISTRY' ENTERED AT 10:39:47 ON 18 NOV 2005

L3 41 SEA L2

40 L3 AND PMS/CI

L5 5 L4 AND P/ELS

L6 1 ACRYLIC ACID/CN

FILE 'STNGUIDE' ENTERED AT 10:48:31 ON 18 NOV 2005

FILE 'REGISTRY' ENTERED AT 10:52:19 ON 18 NOV 2005 SEL RN 1-2 L5

L7 2 E1-2 AND L5

FILE 'HCAPLUS' ENTERED AT 10:53:01 ON 18 NOV 2005 L8 2 L7

FILE 'REGISTRY' ENTERED AT 10:53:16 ON 18 NOV 2005

L9 1 1746-03-8

L10 320 1746-03-8/CRN

L11 1 818-61-1

L12 17338 818-61-1/CRN

L13 1 5039-78-1

L14 . 1288 5039-78-1/CRN

L15 1 13880-05-2

L16 173 13880-05-2/CRN

FILE 'REGISTRY' ENTERED AT 10:54:56 ON 18 NOV 2005

FILE 'REGISTRY' ENTERED AT 10:55:49 ON 18 NOV 2005

L17 1 L10 AND L12 AND L14

L18 1 L10 AND L16

L19 2 L17-18

FILE 'HCAPLUS' ENTERED AT 10:57:01 ON 18 NOV 2005 L20 2 L19

FILE 'HCAPLUS' ENTERED AT 10:58:47 ON 18 NOV 2005 L21 2 L9 AND L11 AND L13

L22 0 L9 AND L15

```
Welcome to STN International! Enter x:x
LOGINID:ssptamxg1614
```

PASSWORD:

TERMINAL (ENTER 1, 2, 3, OR ?):2

```
* * * * * * * *
                    Welcome to STN International
NEWS 1
                Web Page URLs for STN Seminar Schedule - N. America
NEWS
                 "Ask CAS" for self-help around the clock
NEWS 3
        JUL 20
                Powerful new interactive analysis and visualization software,
                STN AnaVist, now available
NEWS
        AUG 11
                STN AnaVist workshops to be held in North America
NEWS
     5
        AUG 30
                CA/CAplus -Increased access to 19th century research documents
NEWS
        AUG 30
                CASREACT - Enhanced with displayable reaction conditions
     6
NEWS
     7
        SEP 09
                ACD predicted properties enhanced in REGISTRY/ZREGISTRY
NEWS
     8
        OCT 03
                MATHDI removed from STN
NEWS 9
        OCT 04
                CA/CAplus-Canadian Intellectual Property Office (CIPO) added
                to core patent offices
NEWS 10
        OCT 06
                STN AnaVist workshops to be held in North America
NEWS 11
        OCT 13
                New CAS Information Use Policies Effective October 17, 2005
NEWS 12
        OCT 17
                STN(R) AnaVist(TM), Version 1.01, allows the export/download
                of CAplus documents for use in third-party analysis and
                visualization tools
                Free KWIC format extended in full-text databases
NEWS 13 OCT 27
NEWS 14 OCT 27
                DIOGENES content streamlined
NEWS 15
        OCT 27
                EPFULL enhanced with additional content
NEWS 16 NOV 14 CA/CAplus - Expanded coverage of German academic research
NEWS EXPRESS JUNE 13 CURRENT WINDOWS VERSION IS V8.0, CURRENT
             MACINTOSH VERSION IS V6.0c(ENG) AND V6.0Jc(JP),
             AND CURRENT DISCOVER FILE IS DATED 13 JUNE 2005
NEWS HOURS
             STN Operating Hours Plus Help Desk Availability
NEWS INTER
             General Internet Information
             Welcome Banner and News Items
NEWS LOGIN
NEWS PHONE
             Direct Dial and Telecommunication Network Access to STN
NEWS WWW
             CAS World Wide Web Site (general information)
```

Enter NEWS followed by the item number or name to see news on that specific topic.

All use of STN is subject to the provisions of the STN Customer agreement. Please note that this agreement limits use to scientific research. Use for software development or design or implementation of commercial gateways or other similar uses is prohibited and may result in loss of user privileges and other penalties.

FILE 'HOME' ENTERED AT 12:51:13 ON 18 NOV 2005

=> file caplus COST IN U.S. DOLLARS

FULL ESTIMATED COST

SINCE FILE TOTAL ENTRY SESSION 0.21 0.21

FILE 'CAPLUS' ENTERED AT 12:51:22 ON 18 NOV 2005 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT. PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2005 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 18 Nov 2005 VOL 143 ISS 22 FILE LAST UPDATED: 17 Nov 2005 (20051117/ED)

Effective October 17, 2005, revised CAS Information Use Policies apply. They are available for your review at:

http://www.cas.org/infopolicy.html

=> s 1746-03-8/crn

REG1stRY INITIATED

Substance data SEARCH and crossover from CAS REGISTRY in progress... Use DISPLAY HITSTR (or FHITSTR) to directly view retrieved structures.

L2 550 L1

=> s 818-61-1/crn

REG1stRY INITIATED

Substance data SEARCH and crossover from CAS REGISTRY in progress... Use DISPLAY HITSTR (or FHITSTR) to directly view retrieved structures.

L4 12250 L3

=> s 5039-78-1/crn

REG1stRY INITIATED

Substance data SEARCH and crossover from CAS REGISTRY in progress... Use DISPLAY HITSTR (or FHITSTR) to directly view retrieved structures.

L6 3781 L5

=> s 12 and 13 and 14 12250 L3

L7 16 L2 AND L3 AND L4

=> s 12 (L) 13 (L) 14

```
12250 L3
9 L2 (L) L3 (L) L4
```

=> d 1-9 bib abs

L8

```
L8 ANSWER 1 OF 9 CAPLUS COPYRIGHT 2005 ACS on STN
```

AN 2005:259335 CAPLUS

DN 142:322379

TI Oral care compositions comprising a polymer obtained from cationic monomers and anionic or neutral monomers

IN Charmot, Dominique; Gibbs, Christopher David; Kolosov, Oleg; Liu, Mingjun; Nguyen, Son Hoai; Petro, Miroslav; Rannard, Steven Paul

PA Unilever Home & Personal Care USA, USA

SO U.S. Pat. Appl. Publ., 6 pp.

CODEN: USXXCO

DT Patent

LA English

FAN.CNT 4

```
PATENT NO.
                        KIND
                               DATE
                                         APPLICATION NO.
                                                                 DATE
    -----
                        ----
                               ------
                                           -----
PΙ
    US 2005063921
                         A1
                               20050324
                                          US 2003-666489
                                                                 20030919
    WO 2005027862
                        A1
                               20050331
                                           WO 2004-EP9267
                                                                 20040818
           AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH,
            CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD,
            GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC,
            LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI,
            NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY,
            TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW
        RW: BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM,
            AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK,
            EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE,
            SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE,
            SN, TD, TG
PRAI US 2003-665710
                         Α
                               20030919
    US 2003-665711
                         Α
                               20030919
    US 2003-666487
                         Α
                               20030919
    US 2003-666489
                         Α
                               20030919
```

Oral care compns. comprise a polymer obtained by copolymg. a mixture of AB comonomers, said mixture comprising: (a) a cationic monomer selected from (ar-vinylbenzyl) trimethylammonium chloride, (dimethylaminopropyl) methacrylamide, [2 (methacryloyloxy) ethyl] trimethylammonium chloride, 2-aminoethylmethacrylate hydrochloride and mixts. thereof; and (b) at least one anionic or neutral monomer selected from styrene, mono-2-(methacryloyl)ethyl succinate, vinyl acetate, N, N-dimethylacrylamide, 2-ethylhexylacrylate, vinylphosphonic acid, acrylic acid, 2-acrylamido-2-methyl-1-propanesulfonic acid, N-[tris(hydroxymethyl)methyl] acrylamide, N-vinylpyrrolidone, Bu acrylate, 2-hydroxyethylacrylate, polyethyleneglycol methylethermethacrylate and mixts. thereof, said oral care composition is in the form of any one of a toothpaste, gel, foam, chewing gum, deformable strip or mouthwash and which is suitable for use in the oral cavity. (ar-vinylbenzyl) trimethylammonium chloride-styrene-N-[tris (hydroxymethyl)methyl]acrylamid e copolymer was prepared Adsorption of the polymer to hydroxyapatite disks and pig tongue was studied.

```
L8 ANSWER 2 OF 9 CAPLUS COPYRIGHT 2005 ACS on STN
```

AN 2005:259332 CAPLUS

DN 142:322376

TI Oral dentifrice compositions comprising cationic polymers

IN Charmot, Dominique; Gibbs, Christopher David; Kolosov, Oleg; Liu, Mingjun; Nguyen, Son Hoai; Petro, Miroslav; Rannard, Steven Paul

PA Unilever Home & Personal Care USA, USA

SO U.S. Pat. Appl. Publ., 6 pp. CODEN: USXXCO

DT Patent

```
LA
     English
FAN.CNT 4
                             KIND
                                     DATE
                                                   APPLICATION NO.
     PATENT NO.
                                                                               DATE
      -----
                             _ _ _ _
                                     -----
                                                   ______
                                                                               ------
                                     20050324
                                                   US 2003-665710
PΙ
     US 2005063918
                              A1
                                                                               20030919
     WO 2005027862
                              A1
                                     20050331
                                                   WO 2004-EP9267
                                                                               20040818
               AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD,
               GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI,
               NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY,
          TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW RW: BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK,
               EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE,
               SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE,
               SN, TD, TG
                                     20030919
PRAI US 2003-665710
                              Α
                              Α
     US 2003-665711
                                     20030919
     US 2003-666487
                              Α
                                     20030919
     US 2003-666489
                              Α
                                     20030919
     Oral care composition containing a polymer obtainable by copolymg. a mixture of
AB
     comonomers, in which 40 mol% of the mixture of comonomers is constituted by
      a comonomer , e.g., H2C:CR(X)nY (where R = H or Me, X = divalent organic
      linking group, n = 0 or 1, and Y is a carboxylate or phosphonate anion),
      and in which the balance of the mixture of comonomers is constituted by
      neutral and/or cationic comonomers; the composition being in the form of any
      one of a toothpaste, gel, foam, chewing gum, deformable strip or mouthwash
      and being suitable for use in the oral cavity.
                                                               (ar-
      vinylbenzyl)trimethylammonium chloride-styrene-N-
      [tris(hydroxymethyl)methyl]acrylamide copolymer was prepared Adsorption of
      the polymer to hydroxyapatite disks and pig tongue was studied.
      ANSWER 3 OF 9 CAPLUS COPYRIGHT 2005 ACS on STN
L8
      2005:141130 CAPLUS
ΑN
DN
      142:221262
      Phosphonic acid-modified microgel dispersion
ΤI
IN
      Mueller, Horst
      Bollig & Kemper G.m.b.H. & Co. K.-G., Germany
PA
      PCT Int. Appl., 32 pp.
so
      CODEN: PIXXD2
DT
      Patent
LA
      German
FAN.CNT 3
                                                   APPLICATION NO.
                                                                               DATE
                                      DATE
      PATENT NO.
                             KIND
                                                    ______
                                      _____
      -----
                             _ _ _ _
                                                  WO 2004-IB51403
      WO 2005014678
                                      20050217
                                                                               20040805
                              A1
PΙ
              AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH,
               CN, CO, CR, CU, CZ, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE,
               GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO,
               NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ,
                \texttt{TM}, \ \texttt{TN}, \ \texttt{TT}, \ \texttt{TZ}, \ \texttt{UA}, \ \texttt{UG}, \ \texttt{US}, \ \texttt{UZ}, \ \texttt{VC}, \ \texttt{VN}, \ \texttt{YU}, \ \texttt{ZA}, \ \texttt{ZM}, \ \texttt{ZW} 
          RW: BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK,
               EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE,
               SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE,
               SN, TD, TG
                                                   DE 2003-10336770
                                                                               20030808
      DE 10336770
                              Α1
                                      20050310
PRAI DE 2003-10336770
                                      20030808
                              Α
      An emulsifier-free water-thinnable microgel prepared by producing a OH- and
      COOH-group-containing polyacrylate in the presence of ≥1 phosphonic
      group-containing compound is used in water-thinnable base coats for the
      automobile industry. Thus, an acrylic dispersion prepared by radical
      polymerization of a mixture containing styrene, Bu methacrylate, lauryl
```

acrylate,

2-hydroxy ethylacrylate, vinylphosphonic acid and acrylic acid in Bu alc. 2 h at 120°, neutralized with dimethylethanolamine and crosslinked with melamine resin (Cymel 327) is burned together with polyester- and polyurethane dispersion (30 min at 140°) to get a base coat for steel.

RE.CNT 11 THERE ARE 11 CITED REFERENCES AVAILABLE FOR THIS RECORD
ALL CITATIONS AVAILABLE IN THE RE FORMAT

```
L8
      ANSWER 4 OF 9 CAPLUS COPYRIGHT 2005 ACS on STN
AN
      2004:354985 CAPLUS
DN
      140:358986
      Phosphonic acid-modified microgel dispersion
TI
IN
      Mueller, Horst
      Bolliq & Kemper G.m.b.H. & Co. K.-G., Germany
PA
      PCT Int. Appl., 43 pp.
SO
      CODEN: PIXXD2
DT
      Patent
LA
      German
FAN.CNT 3
                                                        APPLICATION NO.
                                                                                      DATE
      PATENT NO.
                                KIND
                                         DATE
                                                        ______
      ______
                                ----
                                         _____
                                                      WO 2003-DE3419
                                         20040429
                                                                                      20031013
PΙ
      WO 2004035642
                                A1
           W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN,
                AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW
           RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG
      DE 10247847
                                 A1
                                         20040422
                                                        DE 2002-10247847
                                                                                      20021014
      DE 10336770
                                 A1
                                         20050310
                                                        DE 2003-10336770
                                                                                      20030808
                                                        EP 2003-773533
      EP 1554323
                                 A1
                                         20050720
                                                                                      20031013
           R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, SK
PRAI DE 2002-10247847
                                         20021014
                                 Α
      DE 2003-10336770
                                 Α
                                         20030808
      WO 2003-DE3419
                                 W
                                         20031013
      Emulsifier-free microqel dispersions are prepared by polymerizing monounsatd.
AB
or
      polyunsatd. hydroxyl- and carboxy-group-containing acrylic and aromatic
monomers
      in the presence of phosphonic acid derivs. (e.g., reaction products of
      alkylphosphonic acids with epoxides or vinylphosphonic acid) in an aqueous
      medium with subsequent crosslinking with aminoplast (e.g., melamine
      resin), and, optionally, emulsion radical polymerization with
hydroxyl-containing
      monomer. The title microgel dispersion is useful for base coat manufacturing
in
      automotive finishes (in composition containing polyurethane and polyester
      dispersion with Al bronze in water/butyl glycol at pH 8.0-8.3) to enhance
      a metallic effect and adhesion to polycarbonate.
                  THERE ARE 11 CITED REFERENCES AVAILABLE FOR THIS RECORD
RE.CNT 11
                  ALL CITATIONS AVAILABLE IN THE RE FORMAT
       ANSWER 5 OF 9 CAPLUS COPYRIGHT 2005 ACS on STN
L8
       2001:903769 CAPLUS
ΑN
DN
       136:42566
ΤI
       Antiplaque aqueous oral composition comprising water-soluble copolymer
IN
       Bergeron, Vance; Labeau, Marie-Pierre
       Rhodia Chimie, Fr.
PΑ
```

PCT Int. Appl., 18 pp.

CODEN: PIXXD2

SO

```
DT
     Patent
LA
     French
FAN.CNT 1
                        KIND DATE
                                        APPLICATION NO. DATE
     PATENT NO.
                                 -----
                                             ______
                         ----
     -----
                                 20011213 WO 2001-FR1710 20010601
                         Al
     WO 2001093820
PΙ
         W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN,
             CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH,
             GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR,
             LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT,
             RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM
         RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG
                                 20011207 FR 2000-7144
                                                                      20000605
     FR 2809617
                          A1
                                 20020712
     FR 2809617
                           B1
                                 20000605
PRAI FR 2000-7144
                          Α
     The invention concerns an antiplaque oral composition comprising an aqueous
     carrier, a bactericidal agent and a water-soluble copolymer (C), said
     copolymer comprising a backbone (B) derived from an oxyalkylene oligomer
     or polymer (AO), and several grafts (G) derived from polymerization of: a water
     soluble ethylenically unsatd. carboxylic, sulfonic acid monomer (A), or one
     of its water soluble salts; and a water soluble ester monomer (E) of
     ethylenically unsatd. carboxylic acid; and of a water soluble ethylenically
     unsatd. phosphonated or phosphated monomer (P); the resp. amts. of
     monomers (A), (E) and (P) corresponding to 10 to 90 parts of (A) / 10 to 70
     parts of (E) / 0.1 to 50 parts of (P), for 100 parts of the total of
     monomers (A), (E) and (P) of the grafts (G), the relative amts. of
     backbone (B) and of grafts (G) corresponding to a (B)/(G) mass ratio from
     10/90 to 80/20; the average mole weight of said copolymer (C) being 50000 to
     2000000. A copolymer was prepared by the reaction of acrylic acid,
     hydroxyethyl acrylate (I), vinyl phosphonic acid (II), Antarox SC138 where the ratio of II:I was 5:9.3. The antiplaque activity of the polymer
      (absorption of triclosan on the hydroxyapatite disk) was 53%.
               THERE ARE 2 CITED REFERENCES AVAILABLE FOR THIS RECORD
RE.CNT 2
               ALL CITATIONS AVAILABLE IN THE RE FORMAT
     ANSWER 6 OF 9 CAPLUS COPYRIGHT 2005 ACS on STN
L8
     1996:289992 CAPLUS
ΑN
     124:319214
DN
     Water-soluble adhesive compositions, especially for bonding paper
TI
     Czech, Zbigniew
IN
     Lohmann Gmbh & Co. Kg, Germany
PA
     Eur. Pat. Appl., 9 pp.
SO
     CODEN: EPXXDW
DT
     Patent
LA
     German
FAN.CNT 1
                        KIND
                                 DATE APPLICATION NO.
                                                                      DATE
     PATENT NO.
                         ----
                                 -----
                                              _____
                                                                      _____
     _____
                                            EP 1995-112730
     EP 699726
                          A2
                                 19960306
                                                                      19950812
PI
                   A3
     EP 699726
                                 19980107
     EP 699726
                                 19990421
         R: BE, DE, FR, IT
                 A1
1053 A
                               19960307
19940901
                                              DE 1994-4431053
                                                                       19940901
     DE 4431053
PRAI DE 1994-4431053
```

The title compns. contain a water-soluble copolymer of an unsatd. carboxylic acid, a C1-12 alkyl (meth) acrylate, and a polymerizable photoinitiator and a water-soluble plasticizer having mol. weight ≤4000. The compns. are useful for splicing the ends of rolls of paper, for labels, on tapes for use on packages, etc. An adhesive comprised an acrylic acid-4-(2-acryloyloxyethyl)phenyl 2-hydroxy-2-Pr ketone-Bu acrylate copolymer and polyethylene glycol (mol. weight 400).

```
L8 ANSWER 7 OF 9 CAPLUS COPYRIGHT 2005 ACS on STN
```

AN 1995:789160 CAPLUS

DN 123:170591

- TI Polymers of alkenesulfonic acids and vinylphosphonic acid or derivatives
- IN Hoffmann, Herrmann; Buch, Wolfgang; Gulden, Walter; Engelhardt, Fritz; Funk, Ruediger H.; Tardy, Aranka
- PA Hoechst A.-G., Germany
- SO Eur. Pat. Appl., 17 pp. CODEN: EPXXDW

DT Patent

LA German

FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	EP 643081	A1	19950315	EP 1994-113443	19940829
	R: DE, DK, GB,	NL			
	DE 4330699	A1	19950316	DE 1993-4330699	19930910
	NO 9403335	Α	19950313	NO 1994-3335	19940909
	JP 07173226	A2	19950711	JP 1994-216391	19940909
PRAI	DE 1993-4330699	Α	19930910		

AB Polymers useful in saline waters as alkaline earth sulfate and CaCO3 deposition inhibitors contain 50-99.5% alkenesulfonic acids CH2:C(R1)ZSO3R2 [R1 = H, Ph, alkyl; R2 = H, alkyl, NH4, alkali metal or alkaline earth ion; Z = (CH2)n (n = 0-4)] and 50-0.5% phosphonic acid derivative

CH2:CHPO(OR1)(OR2) (R1, R2 = H, alkyl, NH4, alkali metal or alkaline earth ion). Persulfate-initiated polymerization of 90 g ethenesulfonic acid and 10 g vinylphosphonic acid in 120 g H2O at 60° gave a clear, slightly viscous solution of copolymer (I) with weight-average mol. weight 10,000. The

concentration of I required to inhibit mineral deposit formation (BaSO4, tube plugging test) was 15 mg/L.

- L8 ANSWER 8 OF 9 CAPLUS COPYRIGHT 2005 ACS on STN
- AN 1984:474785 CAPLUS
- DN 101:74785

min.

- TI Copolymers from monoethylenically unsaturated mono- and dicarboxylic acids (anhydrides)
- IN Denzinger, Walter; Hartmann, Heinrich; Trieselt, Wolfgang; Hettche,
 Albert; Schneider, Rolf; Raubenheimer, Hans Juergen
- PA BASF A.-G., Fed. Rep. Ger.
- SO Ger. Offen., 17 pp.

CODEN: GWXXBX

DT Patent

LA German

FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
		-			
ΡI	DE 3233777	A1	19840315	DE 1982-3233777	19820911
	EP 103254	A2	19840321	EP 1983-108753	19830906
	EP 103254	A3	19840502		
	EP 103234	AS	19640302		
	EP 103254	B1	19871216		
	R: AT, BE, CH,	DE, FR	R, GB, IT, L	I, NL, SE	
	AT 31421	E	19880115	AT 1983-108753	19830906
	ES 525510	A1	19840601	ES 1983-525510	19830908
	JP 59064612	A2	19840412	JP 1983-165293	19830909
PRAI	DE 1982-3233777	Α	19820911		
	EP 1983-108753	Α	19830906		

AB Copolymers of ≥1 monoethylenically unsatd. dicarboxylic anhydride containing 4-6 C, ≥1 monoethylenically unsatd. monocarboxylic acid containing 3-10 C, and, in some cases, other monoethylenically unsatd. monomers are prepared as powders by suspension polymerization at 50-180° in a solvent (other than benzene) in which the monomers are soluble and the copolymer is insol. At least one third of the dicarboxylic anhydride is present in the reactor before the polymerization begins, and the remainder is

added during a time period no greater than the time required to add the first two thirds of the monocarboxylic acid to the reactor. A protective colloid is present in the solvent during copolymn. to prevent agglomeration. The copolymers are used as incrustation inhibitors in laundering. Thus, a mixture of m-xylene 460, maleic anhydride (I) 68, and poly(iso-Bu vinyl ether) (K value 60) 1.7 parts was heated to 139°, treated with 36 parts I (at 70°) during 2 h and a mixture of 104 parts acrylic acid and 10.2 parts tert-Bu2O2 during 3 h, refluxed 2 h, and spray dried to give 199 g powdered copolymer [26677-99-6] (K value 19.9, containing 1.37% monomeric I).

- L8 ANSWER 9 OF 9 CAPLUS COPYRIGHT 2005 ACS on STN
- AN 1984:424128 CAPLUS
- DN 101:24128
- TI Continuous copolymerization of monoethylenic unsaturated mono- and dicarboxylic acids
- IN Denzinger, Walter; Hartmann, Heinrich; Trieselt, Wolfgang; Hettche,
 Albert; Schneider, Rolf; Raubenheimer, Hans Juergen
- PA BASF A.-G. , Fed. Rep. Ger.
- SO Ger. Offen., 15 pp. CODEN: GWXXBX
- DT Patent
- LA German
- FAN.CNT 1

L Paris .	-14 T	-					
	PAT	TENT NO.		KIND	DATE	APPLICATION NO.	DATE
							
PI	DE	3233778		A1	19840315	DE 1982-3233778	1982 0911
	ΕP	106111		A1	19840425	EP 1983-108754	198 30906
	EΡ	106111		B1	19871209		
		R: AT, BE,	CH,	DE,	FR, GB, IT,	LI, NL, SE	
	AT	31318		E	19871215	AT 1983-108754	198 30906
	ES	525511		A1	19840601	ES 1983-525511	19830908
	JP	59066407		A2	19840414	JP 1983-165294	198 30909
	JP	02057804		B4	19901206		
	CA	1241490		A1	19880830	CA 1983-436435	198 30909
	US	4725655		Α	19880216	US 1986-919583	198 61016
PRAI	DE	1982-3233778		Α	19820911		
	EP	1983-108754		Α	19830906		
	US	1983-530476		A1	19830908		
	US	1984-674370		A1	19841126		
	US	1985-730262		A1	19850506		
	US	1985-811326		A1	19851219		

AB In the title process, 10-60% unsatd. C4-6 dicarboxylic acid, anhydride, or salt is polymerized continuously with 40-90% unsatd. C3-10 monocarboxylic acid or salt (total acids 20-80% neutralized) and 0-20% comonomer in aqueous medium at 60-150° in a reactor cascade. Thus, adding a solution of maleic anhydride 72.3, acrylic acid 150, and H2O 153.4 parts, a solution of 28.5 parts 30% H2O2 and 56 parts H2O, and a solution of 85 parts NaOH in 225 parts H2O to the 1st of 3 reactors (all at 100°) and 100 parts 50% aqueous acrylic acid to the 2nd gave a 37% solution of copolymer [52255-49-9] with K-value (2% aqueous solution, fully neutralized) 46 and unreacted maleic acid content 0.76%.

=> file medline COST IN U.S. DOLLARS SINCE FILE TOTAL ENTRY SESSION FULL ESTIMATED COST 24.75 27.60 DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS) SINCE FILE TOTAL ENTRY SESSION CA SUBSCRIBER PRICE -6.57 -6.57

FILE 'MEDLINE' ENTERED AT 12:54:14 ON 18 NOV 2005

FILE LAST UPDATED: 16 NOV 2005 (20051116/UP). FILE COVERS 1950 TO DATE.

On December 19, 2004, the 2005 MeSH terms were loaded.

The MEDLINE reload for 2005 is now available. For details enter HELP RLOAD at an arrow promt (=>). See also:

http://www.nlm.nih.gov/mesh/ http://www.nlm.nih.gov/pubs/techbull/nd04/nd04_mesh.html

OLDMEDLINE now back to 1950.

MEDLINE thesauri in the /CN, /CT, and /MN fields incorporate the MeSH 2005 vocabulary.

This file contains CAS Registry Numbers for easy and accurate substance identification.

=> s 17 or 18

TOO MANY TERMS FOR FILE CROSSOVER IN L3

There are limits on the size of an answer set being crossed over from one file to another. Enter HELP CROSSOVER at an arrow prompt (=>) for specific information.

=> s 17

TOO MANY TERMS FOR FILE CROSSOVER IN L3

There are limits on the size of an answer set being crossed over from one file to another. Enter HELP CROSSOVER at an arrow prompt (=>) for specific information.

=>

---Logging off of STN---

=>

Executing the logoff script...

=> LOG Y

COST IN U.S. DOLLARS	SINCE FILE	TOTAL
	ENTRY	SESSION
FULL ESTIMATED COST	1.14	28.74
DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)	SINCE FILE ENTRY	TOTAL SESSION
CA SUBSCRIBER PRICE	0.00	-6.57

STN INTERNATIONAL LOGOFF AT 12:56:07 ON 18 NOV 2005